

# **OKLAHOMA MONTHLY SUMMARY FEBRUARY 1997**

## **TABLE OF CONTENTS**

February 1997 Oklahoma Summary .....	2
Table of February 1996/1997 Comparisons .....	5
February 1997 Data Summary Tables .....	6
February 1997 Mesonet Summary .....	11
February 1997 State Map Summary .....	12
April Climatological Normals .....	15
90 - Day National Weather Service Outlook .....	16
April Wind Roses - April 1997 Sunrise/Sunset Tables .....	17
Explanation of Tables .....	18
April Oklahoma City Climate Calendar .....	20
April Tulsa Climate Calendar .....	21

## MONTHLY SUMMARY FOR FEBRUARY 1997

Precipitation and temperature were both greater than normal throughout Oklahoma during February. Widespread wet snow and several episodes of heavy rain pushed the statewide-averaged precipitation to 4.16 inches, 2.43 inches above normal and the 2nd largest February precipitation in the state since 1892. Stations in the Panhandle missed most of the precipitation, as monthly totals there were close to normal values. Temperatures averaged 43.3 degrees, statewide, a full 2 degrees greater than normal, ranking this as the 46th warmest February on record. The Panhandle stations averaged only slightly warmer than normal, but the rest of the state enjoyed a very mild February.

The mild, moist February capped a mild winter. The much-needed precipitation overcame the dryness of the previous two months raising this winter's precipitation to a greater-than-average level. The overall temperature for the winter of 1996-97, 40.6 degrees, is 1.6 degrees above normal, ranking this as the 38th warmest winter of the 105 years for which records are available. Statewide seasonal precipitation, totaling 5.18 inches, was 0.48 inches greater than normal and 41st highest all-time.

Daytime temperatures on the 1st were in the 60s and 70s statewide, reaching the upper 70s over much of southeastern Oklahoma. Cooler air arrived on the 6th, bringing with it substantial snow over the western half of the state (except the Panhandle) and a soaking rain to the state's eastern half. Taloga (Dewey County) reported 11 inches of snow from the 6th through the morning of the 8th. Thomas (Custer), Watonga (Blaine), and Cedardale (Woodward) each reported snowfall accumulations of 8 inches. The snow fell with little wind, melting rapidly as temperatures remained near freezing. Temperatures in the wake of the snow storm fell into the teens in many areas, reaching a lowest value of 9 degrees at Kenton (Cimarron). Two separate snow storms affected the state on the 13th when Boise City (Cimarron) in the Panhandle received 3.5 inches and Zoe (LeFlore) in the southeast reported 5 inches.


Drying winds and higher temperatures raised fire danger in the state on the 18th and 19th. Several grass fires were reported in Logan County on the 18th and in scattered northern and western areas on the 19th. A strong winter storm entered the state on the 19th, producing widespread rain and snow that relieved the fire danger, but caused concern with wind damage and local flooding. On the 20th, 70-mile-per-hour winds associated with severe thunderstorms damaged structures near Durant (Bryan), in Pocola (LeFlore), and east of Sallisaw (Sequoyah).

Local flooding, primarily in rural areas, was commonplace in the eastern third of the state, most notably near Smithville (McCurtain), at several locations in LeFlore County, and near Bartlesville (Washington). Many stations reported two and three-day precipitation totals of 3 inches or more, the largest being: Bartlesville, 5.16 inches; the Broken Bow Mesonet site (McCurtain), 4.93 inches; the Wichita Mountains Wildlife Refuge (Comanche), 4.65 inches; the Idabel Mesonet site (McCurtain), 4.63 inches; and the Sallisaw Mesonet site (Sequoyah), 4.51 inches. Precipitation in the western Panhandle featured 5.5 inches of snow at Kenton and 3.5 inches at Regnier (Cimarron).


Another storm system moved slowly through the state from the 23rd through the 26th, producing substantial snow in the Panhandle, including nearly 7 inches at Kenton and 4.5 inches at Boise City. Locally heavy rain on saturated ground caused some localized flooding in southern Oklahoma. Kenton reported the month's lowest temperature (6 degrees) on the 27th.

Howard L. Johnson


### 1996 and 1997 STATEWIDE TEMPERATURES Monthly Averages




### 1996 and 1997 STATEWIDE PRECIPITATION Monthly Totals



CD Averaged Precipitation  
October 1996 through February 1997



CD PERCENT OF NORMAL PRECIPITATION



FEBRUARY 1997

**EXTREME VALUES OF TEMPERATURE AND PRECIPITATION IN EACH CLIMATE DIVISION  
FEBRUARY, 1997**

CD	MAX TEMP	DATE	LOCATION	MIN TEMP	DATE	LOCATION	24-HOUR PRECIP	DATE	LOCATION	MONTHLY PRECIP	LOCATION
1	75	18	GATE	6	27	KENTON	1.09	21	ARNETT	1.94	ARNETT
2	73	17	PONCA CITY	16	9	FREEDOM	3.90	21	HARDY	4.74	HARDY
				16	15	FREEDOM					
3	75	1	KANSAS	18	11	BARNSDALL	4.41	21	BARTLESVILLE	6.31	BARTLESVILLE
4	75	2	REYDON	18	9	TALOGA	3.30	20	COLONY	4.65	MORAVIA
	75	3	REYDON								
5	78	1	PURCELL	19	11	BRISTOW	3.08	17	TECUMSEH	5.84	KONAWA
				19	11	GUTHRIE					
				19	11	MEEKER					
6	78	1	MCALESTER	3	6	OKMULGEE	3.20	21	SALLISAW	7.38	CLAYTON
7	76	1	MANGUM	21	11	ANADARKO	3.32	21	WILLOW	5.65	WICHITA MT
	76	16	MANGUM	21	11	HOBART					
				21	11	WICHITA MT					
8	78	2	DURANT	15	9	MADILL	3.95	20	ARDMORE	6.51	ARDMORE
9	78	1	TUSKAHOMA	14	15	ZOE	4.00	21	BEAR MT	9.93	BEAR MT

**TABLE OF 1996/1997 COMPARISONS**

<b>FEBRUARY</b>	<b>FEBRUARY</b>
Temperature (°F)	Precipitation (in.)

Station	1996	1997	1996	1997
Arnett	39.3	37.3	0.07	1.94
Mutual	****	38.3	****	1.81
Tulsa	46.1	44.1	0.09	3.41
Elk City	44.9	41.3	0.07	4.04
Oklahoma City	44.2	44.0	0.02	2.11
McAlester	49.6	46.5	0.27	0.87
Altus Irr Station	47.6	44.7	0.03	4.54
Ardmore	50.2	49.6	0.02	6.51
Idabel	47.0	45.6	0.86	9.70

**EXTREMES**

VARIABLE	STATION	DIVISION	OBSERVATION	DATE
Minimum temperature (°F)	Okmulgee	3	3	6
Maximum temperature (°F)	Purcell	5	78	1
	McAlester	6	78	1
	Durant	8	78	2
	Tuskahoma	9	78	1
Maximum 24-hour precipitation	Bartlesville	3	4.41"	21

### FEBRUARY 1997 SUMMARY FOR PANHANDLE DIVISION (CD1)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			COOL			DEV				
					FROM NORM	MAX TEMP	MIN TEMP	DEG DAY	DEG NORM	DEG DAY	DEG NORM	TOT PPT	NUM OBS	FROM NORM	MAX 24-HR	DAY		
ARNETT	332	1	37.3	28	0.2	71	1	18	10	776	-5	0	0	1.940	28	0.93	1.09	21
BEAVER	593	1	36.0	28	0	74	18	13	8	811	-1	0	0	0.881	28	0.10	0.60	21
BOISE CITY	908	1	36.7	28	-1.3	71	2	12	8	792	36	0	0	0.523	28	0.03	0.30	13
FARGO	3070	1	*****	0	*****	*****	0	*****	0	*****	*****	*****	*****	1.330	28	0.35	1.03	21
GAGE	3407	1	36.8	20	*****	71	17	19	11	565	*****	0	*****	0.552	24	*****	0.30	6
GATE	3489	1	37.7	28	0.3	75	18	12	8	765	-8	0	0	1.552	28	0.71	0.91	21
GOODWELL	3628	1	37.2	28	1.1	74	18	11	27	778	-32	0	0	0.162	28	-0.26	0.07	14
GUYMON	3835	1	38.2	28	*****	73	17	17	9	752	*****	0	*****	0.731	28	*****	0.21	19
HOOKER	4298	1	36.9	28	-0.8	74	18	15	8	786	22	0	0	0.501	28	-0.09	0.22	27
KENTON	4766	1	35.6	25	*****	69	18	6	27	736	*****	0	*****	0.780	24	*****	0.40	6
LAVERNE	5045	1	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	1.402	28	0.43	0.74	21
RANGE	7412	1	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	0.185	28	*****	0.11	26
REGNIER	7534	1	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	0.474	28	0.15	0.18	23
TURPIN	9017	1	34.9	24	*****	71	18	13	8	724	*****	0	*****	1.771	24	*****	0.90	24

### FEBRUARY 1997 SUMMARY FOR NORTH CENTRAL DIVISION (CD2)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			COOL			DEV				
					FROM NORM	MAX TEMP	MIN TEMP	DEG DAY	DEG NORM	DEG DAY	DEG NORM	TOT PPT	NUM OBS	FROM NORM	MAX 24-HR	DAY		
ALVA	193	2	40.1	28	*****	70	17	19	9	697	*****	0	*****	2.080	28	*****	1.70	21
VANCE AFB	302	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	3.593	27	*****	2.17	20
BILLINGS	755	2	39.9	27	2.1	70	18	20	12	677	-86	0	0	4.213	28	2.82	3.20	21
BLACKWELL 2E	818	2	43.5	28	5.3	72	17	23	11	602	-148	0	0	4.566	28	3.50	3.45	21
BRAMAN	1075	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	3.531	28	*****	2.66	21
CEDARDALE	1620	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	2.272	28	*****	1.35	21
CHEROKEE	1724	2	40.8	28	1.1	68	17	22	9	677	-31	0	0	1.100	26	*****	1.00	20
ENID	2912	2	42.8	28	2.7	70	17	23	11	622	-75	0	0	4.540	28	3.13	3.14	21
FT SUPPLY	3304	2	38.4	28	1.3	69	18	20	10	746	-36	0	0	1.982	28	1.02	1.11	21
FREEDOM	3358	2	37.4	28	-1.9	71	18	16	15	773	53	0	0	2.261	28	1.38	1.46	21
GREAT SALT P	3740	2	39.0	19	*****	71	18	19	10	495	*****	0	*****	2.211	28	1.20	1.16	21
HARDY	3909	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	4.742	28	*****	3.90	21
HELENA	4019	2	39.7	28	3	68	18	20	9	709	-84	0	0	3.612	28	2.46	2.55	21
JEFFERSON	4573	2	41.8	28	2.5	71	17	20	11	651	-71	0	0	3.953	28	2.78	3.09	20
LAMONT	5013	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	4.191	28	*****	3.25	21
MEDFORD	5768	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	4.540	28	*****	3.52	21
MORRISON	6065	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	3.830	28	*****	2.47	21
MUTUAL	6139	2	38.3	28	0.9	70	1	17	9	749	-25	0	0	1.810	28	0.74	0.99	21
NEWKIRK	6278	2	40.8	28	2.3	71	17	21	11	677	-66	0	0	4.700	28	3.53	3.73	21
ORIENTA	6751	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	3.330	26	*****	1.68	21
PERRY	7012	2	44.2	28	3.4	71	17	22	11	583	-95	0	0	4.721	28	3.16	2.60	21
PONCA CITY	7201	2	42.5	26	*****	73	17	23	11	584	*****	0	*****	4.421	27	*****	2.85	20
RED ROCK	7505	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	4.590	28	3.21	3.04	21
WAYNOKA	9404	2	40.4	28	0.4	69	17	17	9	690	-11	0	0	2.020	28	0.94	1.33	21
WOODWARD	9760	2	*****	0	*****	*****	0	***	0	*****	*****	*****	*****	2.173	28	1.14	1.23	21

### FEBRUARY 1997 SUMMARY FOR NORTHEAST DIVISION (CD3)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			
					FROM	MAX	MIN	DEG	FROM	DEG	FROM	TOT	NUM	OBS	NORM	TEMP	DAY	FROM	MAX	24-HR
					NORM	TEMP	DAY	TEMP	DAY	DAY	NORM	DAY	NORM	PPT	OBS	NORM	TEMP	DAY	24-HR	DAY
BARNSDALL	535	3	42.3	28	2.3	71	17	18	11	636	-65	0	0	0.320	25	*****	0.20	7		
BARTLESVILLE	548	3	42.3	28	2.3	71	17	21	15	636	-64	0	0	6.311	28	4.73	4.41	21		
BIXBY	782	3	43.6	28	4.7	73	2	20	11	601	-131	0	0	4.340	28	2.51	1.60	21		
BURBANK	1256	3	*****	0	*****	*****	0	*****	0	*****	*****	*****	*****	4.493	28	3.09	3.54	20		
CHELSEA	1717	3	*****	0	*****	*****	0	*****	0	*****	*****	*****	*****	4.591	28	*****	1.53	23		
CLAREMORE	1828	3	41.7	28	3.5	72	2	20	12	653	-98	0	0	3.980	28	1.98	1.75	21		
CLEVELAND 2	1902	3	43.8	28	*****	71	18	20	11	594	*****	0	*****	4.503	28	*****	2.34	21		
FORAKER	3250	3	*****	0	*****	****	0	****	0	*****	*****	*****	*****	3.780	28	2.45	2.67	21		
HOLLOW	4258	3	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.752	28	1.97	1.52	21		
HOMINY	4289	3	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.591	28	2.93	2.58	21		
HULAH	4393	3	40.2	18	*****	73	18	21	12	446	*****	0	*****	4.160	28	2.93	3.23	21		
KANSAS	4672	3	44.1	28	3.1	75	1	20	11	587	-86	0	0	4.351	28	2.01	1.53	21		
KEYSTONE	4812	3	41.0	17	*****	72	2	20	15	409	*****	0	*****	2.391	28	0.39	1.94	21		
LENAPAH	5118	3	*****	0	*****	****	0	***	0	*****	*****	*****	*****	4.390	28	*****	1.55	20		
MANNFORD	5522	3	43.8	27	2.9	72	17	19	11	574	-102	0	0	4.271	28	2.32	2.27	21		
MARAMEC	5540	3	*****	0	*****	****	0	***	0	*****	*****	*****	*****	3.400	28	1.84	1.57	21		
MIAMI	5855	3	39.1	23	*****	68	17	23	15	596	*****	0	*****	3.781	28	1.75	1.82	21		
NOWATA	6485	3	40.9	28	1.4	69	18	25	12	675	-39	0	0	3.962	28	2.09	1.76	21		
OOLOGAH	6729	3	42.1	19	*****	72	18	23	18	436	*****	0	*****	4.410	28	*****	2.12	21		
PAWHUSKA	6935	3	42.3	28	2.8	71	17	19	11	637	-77	0	0	4.932	28	3.13	3.25	21		
PAWNEE	6940	3	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.790	28	1.10	1.42	21		
PRYOR	7309	3	42.6	22	*****	74	2	22	12	493	*****	0	*****	4.360	23	*****	2.12	21		
RALSTON	7390	3	42.5	28	2.5	71	17	19	10	631	-70	0	0	3.251	28	1.62	1.93	21		
SKIATOOK	8258	3	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.210	28	0.41	1.34	26		
SPAVINAW	8380	3	44.6	28	3.3	74	1	23	11	571	-94	0	0	4.540	28	2.60	2.38	21		
TULSA	8992	3	44.1	28	3.8	72	1	22	11	586	-106	0	0	3.412	28	1.44	1.94	20		
UPPER SPAV	9101	3	44.1	26	*****	69	1	22	11	545	*****	0	*****	5.620	28	*****	2.14	21		
VINITA	9203	3	44.2	23	*****	69	18	21	15	478	*****	0	*****	3.630	28	1.59	1.63	21		
WAGONER	9247	3	45.2	28	3.4	74	1	20	11	556	-95	0	0	3.981	28	1.91	1.20	20		
WANN	9298	3	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.523	28	*****	2.71	21		
WYNONA	9792	3	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.884	28	*****	2.79	21		

### FEBRUARY 1997 SUMMARY FOR WEST CENTRAL DIVISION (CD4)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			
					FROM	MAX	MIN	DEG	FROM	DEG	FROM	TOT	NUM	OBS	NORM	TEMP	DAY	FROM	MAX	24-HR
					NORM	TEMP	DAY	TEMP	DAY	DAY	NORM	DAY	NORM	PPT	OBS	NORM	TEMP	DAY	24-HR	DAY
CANTON DAM	1445	4	39.6	21	*****	68	18	22	11	533	*****	0	*****	3.382	28	2.33	2.07	21		
CLINTON	1909	4	42.4	28	0.9	72	1	23	8	634	-24	0	0	3.751	28	2.56	1.95	21		
COLONY	2039	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.300	28	*****	3.30	20		
CORDELL	2125	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.743	28	2.54	1.95	21		
ELK CITY	2849	4	41.3	28	0.2	73	1	22	9	665	-4	0	0	4.041	28	2.84	2.17	21		
ERICK	2944	4	41.3	28	-0.2	73	1	22	15	663	5	0	0	3.151	28	2.18	1.74	21		
GEARY	3497	4	45.4	28	5	73	1	27	9	550	-140	0	0	4.100	28	2.87	2.40	21		
HAMMON	3871	4	39.4	28	0.6	73	1	20	16	718	-16	0	0	3.050	28	2.00	1.83	21		
LEEEDEY	5090	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.070	28	1.05	1.31	21		
MACKIE	5463	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.070	28	*****	1.23	21		
MORAVIA	6035	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.653	28	3.49	2.80	21		
OKEENE	6629	4	41.1	28	-0.1	68	18	21	11	669	3	0	0	4.410	28	3.20	2.22	20		
RETROP	7565	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.540	28	*****	2.31	21		
REYDON	7579	4	41.6	23	*****	75	3	20	10	539	*****	0	*****	2.230	22	*****	1.32	20		
SAYRE	7952	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.552	28	1.73	1.51	21		
SWEETWATER	8652	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	1.981	28	*****	1.22	21		
TALOGA	8708	4	40.3	28	0.5	72	1	18	9	692	-14	0	0	2.522	28	1.43	1.34	21		
THOMAS	8815	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.210	28	*****	1.42	21		
VICI	9172	4	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.243	26	*****	1.22	20		
WATONGA	9364	4	42.0	28	1.7	71	17	24	11	644	-48	0	0	4.341	28	3.08	2.92	21		
WEATHERFORD	9422	4	41.0	28	2.1	73	1	23	7	671	-60	0	0	3.650	28	2.51	1.84	20		

## FEBRUARY 1997 SUMMARY FOR CENTRAL DIVISION (CD5)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			DEV			
					FROM	MAX	MIN	DEG	DAY	FROM	MAX	MIN	DEG	DAY	FROM	MAX	MIN	DEG	DAY	FROM	MAX	24-HR	DAY
AMBER	200	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.610	28	*****	1.50	21
ARCADIA	288	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.771	28	*****	0.77	20
BLANCHARD	830	5	45.6	28	2.6	75	1	24	11	544	-73	0	0	4.012	28	2.26	2.18	21					
BRISTOW	1144	5	45.5	28	3.5	73	1	19	11	547	-97	0	0	5.104	28	3.17	2.65	21					
CHANDLER	1684	5	44.8	28	2.8	73	1	22	11	567	-77	0	0	3.550	28	1.70	1.25	20					
CHICKASHA	1750	5	44.9	28	2.3	75	1	21	11	562	-66	0	0	3.670	28	2.08	1.80	21					
COX CITY	2196	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.850	28	*****	1.22	20
CRESCENT	2242	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.710	28	*****	2.87	21
CUSHING	2318	5	43.3	28	4.2	71	19	23	12	609	-117	0	0	3.450	28	1.66	1.25	20					
EDMOND	2788	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.882	28	*****	1.00	20
EL RENO	2818	5	45.5	28	4.7	73	1	24	11	545	-133	0	0	3.830	28	2.53	2.28	21					
GUTHRIE	3821	5	43.4	28	1.7	73	1	19	11	606	-47	0	0	2.941	28	1.28	2.30	21					
HENNESSEY	4055	5	42.3	22	*****	68	17	22	11	501	*****	0	*****	4.290	28	3.06	2.37	21					
INGALLS	4489	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.981	28	*****	0.85	21
KINGFISHER	4861	5	42.5	28	1.4	72	1	20	11	629	-40	0	0	4.240	28	2.85	2.39	21					
KONAWA	4915	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.840	28	3.76	1.97	19
MARSHALL	5589	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.440	28	3.17	2.86	21
MEEKER	5779	5	44.7	28	2.8	74	1	19	11	569	-79	0	0	3.620	28	1.59	1.24	19					
MULHALL	6110	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.900	28	*****	2.21	21
NORMAN NWS	6386	5	43.9	28	1.1	74	1	23	11	590	-33	0	0	3.632	28	1.91	2.01	20					
OILTON	6616	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.550	28	*****	1.72	20
OKEMAH	6638	5	48.0	28	5.5	76	1	26	11	477	-153	0	0	4.970	28	3.06	2.05	21					
OKLAHOMA CTY	6661	5	44.0	28	3.1	74	1	21	11	589	-86	0	0	2.115	28	0.55	1.55	20					
PERKINS	7003	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.690	28	1.02	1.18	21
PIEDMONT	7068	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.590	28	*****	2.83	21
PRAGUE	7264	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.190	28	2.25	1.14	21
PURCELL	7327	5	45.6	28	2.9	78	1	20	11	544	-80	0	0	4.503	28	2.53	1.90	20					
SEMINOLE	8042	5	46.4	28	2.3	76	1	21	11	521	-64	0	0	5.391	28	3.38	1.81	21					
SHAWNEE	8110	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.920	28	2.91	2.04	20
STELLA	8479	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.641	28	*****	1.27	19
STILLWATER	8501	5	42.2	28	3.6	74	2	20	11	639	-101	0	0	3.540	28	2.01	2.13	21					
STROUD	8563	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.730	28	*****	1.20	21
TECUMSEH	8751	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.960	28	*****	3.08	17
TROUSDALE	8960	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.100	28	*****	2.51	20
UNION CITY	9086	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.793	28	2.21	1.94	21
WELTY	9479	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.352	28	*****	2.32	21
WEWOKA	9575	5	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.670	28	2.48	1.43	20

## FEBRUARY 1997 SUMMARY FOR EAST CENTRAL DIVISION (CD6)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			DEV			
					FROM	MAX	MIN	DEG	DAY	FROM	MAX	MIN	DEG	DAY	FROM	MAX	MIN	DEG	DAY	FROM	MAX	24-HR	DAY
ASHLAND	364	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.180	28	*****	1.63	20
BEGGS	631	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.090	28	*****	1.96	21
CALVIN	1391	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.800	28	1.68	1.55	20
CHECOTAH	1711	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.700	28	1.51	1.40	20
CLAYTON	1858	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	7.380	28	*****	2.00	20
DEWAR	2485	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.211	28	1.98	1.24	20
DUSTIN	2690	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.241	28	*****	1.50	20
EUFAULA	2993	6	45.3	28	1.7	71	1	24	11	552	-47	0	0	4.850	28	2.48	1.45	26					
HANNA	3884	6	45.4	28	2.3	76	1	20	11	550	-63	0	0	4.461	28	2.08	1.44	20					
HARTSHORNE	3946	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	6.570	28	1.67	20	
HASKELL	3956	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.160	28	1.99	1.65	20
HOLDENVILLE	4235	6	45.0	28	1.5	76	3	20	11	560	-49	0	-6	5.431	28	3.48	1.84	20					
LAKE EUFAULA	4975	6	46.6	23	*****	71	21	25	11	424	*****	0	*****	1.650	23	*****	0.91	22					
LYONS	5437	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	6.131	28	4.21	3.00	21
MCALESTER	5664	6	46.5	25	78	1	21	11	463	*****	0	*****	0.874	25	*****	0.28	26						
MCCURTAIN	5693	6	45.6	28	1.6	74	1	23	23	542	-46	0	0	6.701	28	3.76	1.85	21					
MUSKOGEE	6130	6	46.3	27	4.2	72	1	22	11	506	-135	0	0	3.940	28	1.63	1.10	19					
OKMULGEE	6670	6	43.0	23	*****	73	2	3	6	505	*****	0	*****	5.600	23	*****	1.90	21					
OKTAHA	6678	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.890	28	*****	1.25	20
QUINTON	7372	6	*****	0	*****	****	0	*****	0	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.042	28	2.54	1.37	19
SALLISAW	7862	6	44.9	28	1.8	72	3	24	11														

### FEBRUARY 1997 FOR SOUTHWEST DIVISION (CD7)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			DEV		
					FROM	MAX	MIN	DEG	FROM	DEG	FROM	TOT	NUM	OBS	TEMP	DAY	DEG	FROM	MAX	24-HR	DAY	
			NORM	TEMP	OBS	TEMP	DAY	TEMP	DAY	DAY	NORM	DAY	NORM	PPT	OBS	TEMP	DAY	DEG	FROM	MAX		
ALTUS	179	7	44.7	28	0.4	72	17	23	9	570	-11	0	0	4.540	28	3.44	2.15	20				
ALTUS DAM	184	7	44.1	28	2.6	73	2	24	8	585	-73	0	0	4.860	28	3.67	2.00	20				
ANADARKO	224	7	41.2	27	-0.8	73	2	21	11	643	-2	0	0	2.861	27	*****	1.13	21				
APACHE	260	7	*****	0	*****	****	0	****	0	*****	*****	*****	*****	2.970	28	1.53	1.25	21				
ALTUS AFB	447	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.753	26	*****	1.86	20				
CARNEGIE	1504	7	42.8	28	0.8	73	1	23	11	621	-24	0	0	3.531	28	2.18	1.32	20				
CHATTANOOGA	1706	7	45.7	28	1.9	71	17	24	15	541	-54	0	0	2.840	28	1.44	1.06	21				
DUNCAN 11 W	2668	7	*****	0	*****	****	0	****	0	*****	*****	*****	*****	4.013	28	*****	1.64	21				
FREDERICK	3353	7	45.1	28	2.5	70	18	26	11	558	-70	0	0	3.140	28	1.85	1.60	20				
HEADRICK	3998	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.650	28	*****	1.55	20				
HOBART	4204	7	42.1	26	*****	74	1	21	11	596	*****	0	*****	3.562	27	*****	2.22	20				
HOLLIS	4249	7	42.9	28	-0.7	73	1	23	11	618	19	0	0	3.831	28	2.82	2.23	21				
LAWTON	5063	7	44.0	27	2.1	70	1	26	10	568	-80	0	0	3.470	28	2.16	1.42	21				
FORT SILL	5068	7	45.3	28	*****	70	17	27	11	553	*****	0	*****	0.685	25	*****	0.31	19				
LOOKEBA	5329	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.860	28	2.55	2.10	21				
MANGUM	5509	7	43.9	28	0.4	76	16	23	15	591	-11	0	0	4.300	28	3.18	2.80	20				
RANDLETT	7403	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.593	28	*****	2.28	21				
ROOSEVELT	7727	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.630	28	1.49	1.52	20				
SEDAN	8016	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.361	28	*****	1.15	20				
SNYDER	8299	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.942	28	1.71	1.25	21				
VINSON	9212	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	2.831	28	1.96	1.69	21				
WALTERS	9278	7	46.3	28	1.6	70	17	27	15	523	-46	0	0	3.760	28	1.96	1.65	21				
WICHITA MT	9629	7	42.2	28	1.3	73	1	21	11	638	-37	0	0	5.650	28	4.19	2.90	21				
WILLOW	9668	7	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.314	28	*****	3.32	21				

### FEBRUARY 1997 SUMMARY FOR SOUTH CENTRAL DIVISION (CD8)

NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			DEV		
					FROM	MAX	MIN	DEG	FROM	DEG	FROM	TOT	NUM	OBS	TEMP	DAY	DEG	FROM	MAX	24-HR	DAY	
			NORM	TEMP	OBS	TEMP	DAY	TEMP	DAY	DAY	NORM	DAY	NORM	PPT	OBS	TEMP	DAY	DEG	FROM	MAX		
ADA	17	8	44.8	28	1.1	74	1	25	11	565	-32	0	0	5.461	28	3.31	1.86	20				
ALLEN	147	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	6.200	28	*****	2.50	20				
ARDMORE	292	8	49.6	27	3.1	76	1	29	11	416	-108	0	-6	6.510	28	4.49	3.95	20				
ATOKA DAM	394	8	47.2	20	*****	75	3	24	11	357	*****	0	*****	5.523	28	3.00	1.46	20				
BOKCHITO	917	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	6.062	28	*****	3.02	20				
CENTRAHOMA	1648	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.950	28	*****	1.55	20				
CHICKASAW	1745	8	44.7	28	2.5	75	2	23	12	568	-71	0	0	5.302	28	3.32	2.00	20				
COLEMAN	2011	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.100	28	*****	1.55	20				
COMANCHE	2054	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.430	28	3.69	2.46	21				
DAISY	2354	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	6.492	28	3.37	1.95	20				
DUNCAN	2660	8	45.4	28	2.7	72	2	28	12	550	-74	0	0	5.530	28	3.83	2.00	21				
DURANT	2678	8	47.1	28	3.6	78	2	27	11	500	-102	0	0	6.170	28	3.54	1.97	20				
ELMORE CITY	2872	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.180	28	*****	2.67	20				
GRADY	3688	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.040	28	*****	2.00	20				
HEALDTON	4001	8	47.3	28	2.9	76	1	27	11	496	-81	0	0	5.450	28	3.62	2.38	20				
HENNEPIN	4052	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.471	28	*****	3.01	20				
KETCHUM RAN	4780	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.720	28	*****	2.90	20				
KINGSTON	4865	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.460	28	1.83	1.32	20				
LEHIGH	5108	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	4.853	28	*****	1.50	20				
LINDSAY	5216	8	45.9	25	*****	75	1	23	12	479	*****	0	*****	3.670	28	1.89	1.48	20				
LOCO	5247	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	5.460	28	*****	2.30	20				
MADILL	5468	8	46.3	28	0.9	76	1	15	9	524	-25	0	0	5.790	28	3.24	1.98	18				
MARIETTA	5563	8	48.1	28	2.5	76	1	29	15	475	-69	0	0	3.990	28	1.83	2.01	20				
MARLOW	5581	8	45.5	28	2	76	1	23	10	546	-56	0	0	4.151	28	2.56	2.12	21				
MCGEE CREEK	5713	8	46.6	28	*****	75	2	22	12	515	*****	0	*****	5.941	28	*****	1.88	20				
PAULS VALLEY	6926	8	45.9	28	2	77	1	20	11	534	-57	0	0	6.230	28	4.38	3.10	20				
PONTOTOC	7214	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	6.200	28	4.07	1.92	19				
TISHOMINGO	8884	8	47.0	28	2.1	76	1	22	11	504	-60	0	0	5.210	28	2.85	1.45	19				
TUSSY	9032	8	*****	0	*****	***	0	***	0	*****	*****	*****	*****	3.400	28	*****	1.26	20				
WAURIKA	9395	8	47.8	28	2.4	73	1	28	15	481	-68	0	0	5.172	28	3.55	2.98	20				
WAURIKA DAM	9399	8	45.6	17	*****	73	18	26	11	331	*****	0	*****	5.142	28	*****	2.40	21				

### FEBRUARY 1997 SUMMARY FOR SOUTHEAST DIVISION (CD9)


NAME	ID	CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			DEV		
					FROM	MAX	MIN	DEG	FROM	DEG	FROM	TOT	NUM	OBS	NORM	DAY	MAX	24-HR	DAY			
					TEMP	OBS	NORM	TEMP	DAY	TEMP	DAY	DAY	NORM	DAY	NORM	PPT	OBS	NORM				
ANTLERS	256	9	47.1	28	2.3	75	2	22	11	502	-65	0	0	*****	0	*****	0	*****	*****	0		
BATTIEST	567	9	44.4	28	*****	71	1	20	11	576	*****	0	*****	8.760	28	*****	3.68	21				
BEAR MT	584	9	48.3	27	2.1	75	1	26	11	451	-76	0	0	9.930	27	*****	4.00	21				
BENGAL	670	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	8.840	28	*****	2.69	21				
BOSWELL	980	9	46.9	27	1.7	77	2	20	2	489	-65	0	0	6.701	28	3.64	1.43	20				
BROKEN BOW	1162	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	9.400	28	5.90	2.45	19				
BROKEN BOW D	1168	9	46.2	28	2.5	72	17	23	10	527	-69	0	0	8.233	28	4.69	2.41	20				
CARNASAW	1499	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	7.892	28	4.35	1.96	21				
CARTER TWR	1544	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	6.790	28	3.22	2.18	20				
FANSHAWE	3065	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	8.390	28	5.25	2.86	21				
HEAVENER	4008	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	4.520	28	1.58	1.26	20				
HUGO	4384	9	48.1	28	1.5	71	17	27	11	473	-43	0	0	7.120	28	3.79	2.32	7				
IDABEL	4451	9	45.6	28	1.2	76	1	21	12	542	-35	0	0	9.702	28	6.17	2.64	21				
PINE CREEK	7080	9	44.7	21	*****	76	3	20	12	427	*****	0	*****	8.100	21	*****	2.77	21				
POTEAU	7254	9	46.4	28	*****	75	1	21	11	520	*****	0	*****	7.260	27	*****	2.00	20				
SMITHVILLE	8285	9	44.0	28	1.1	74	1	21	15	588	-31	0	0	5.854	28	2.21	2.20	21				
SPIRO	8416	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	7.812	28	4.93	2.96	21				
TUSKAHOMA	9023	9	47.5	28	2.6	78	1	20	11	489	-74	0	0	7.761	28	4.82	3.15	21				
VALLIANT	9118	9	*****	0	*****	****	0	****	0	*****	*****	*****	*****	8.190	28	4.72	2.95	21				
WILBURTON	9634	9	46.2	28	3	76	1	21	11	526	-84	0	0	8.190	28	5.16	2.42	20				
ZOE	9985	9	43.3	28	2.3	76	2	14	15	609	-66	0	0	5.390	28	2.27	2.00	20				

### FEBRUARY 1997 CLIMATE DIVISION SUMMARY


CD	MEAN	NUM	DEV			HEAT			DEV			COOL			DEV			DEV		
			FROM	MAX	MIN	DEG	FROM	DEG	FROM	TOT	NUM	STA	FROM	MAX	24-HR	DAY				
			TEMP	STA	NORM	TEMP	DAY	TEMP	DAY	DAYS	NORM	DEGS	DAYS	NORM	PPT	STA	NORM			
1	37.1	7	0	75	18	6	27	780	0	0	0	0.880	11	0.19	1.09	21				
2	40.6	13	1.9	73	17	16	15	681	-56	0	0	3.450	21	2.29	3.90	21				
3	43.1	13	3.7	75	1	18	11	610	-105	0	0	4.170	29	2.36	4.41	21				
4	41.6	9	1.2	75	3	18	9	656	-34	0	0	3.400	19	2.29	3.30	20				
5	44.7	15	2.9	78	1	19	11	569	-82	0	0	3.890	37	2.16	3.08	17				
6	45.1	9	2.8	78	1	3	6	556	-82	0	-1	5.100	25	2.75	3.20	21				
7	44.0	12	1.3	76	16	21	11	584	-39	0	0	3.800	20	2.54	3.32	21				
8	46.6	13	2.5	78	2	15	9	513	-71	0	0	5.300	31	3.17	3.95	20				
9	46.2	12	1.9	78	1	14	15	524	-56	0	0	7.620	17	4.35	4.00	21				

**MESONET MONTHLY SUMMARY FOR FEBRUARY 1997**


NAME	MEAN MAX				MIN				TOT MAX				NAME	MEAN MAX				MIN				TOT MAX													
	TEMP	TEMP	DAY	TEMP	DAY	HDD	CDD	PPT	24-HR	DAY	TEMP	TEMP	DAY	HDD	CDD	PPT	24-HR	DAY	TEMP	TEMP	DAY	HDD	CDD	PPT											
ARNETT	40.3	73	1	19	10	692	0	1.84	1.11	20	GOODWELL	36.8	73	17	12	27	791	0	.38	.09	27														
BEAVER	37.8	75	17	12	8	762	0	.90	.57	20	HOOKER	38.4	76	17	15	8	744	0	.44	.12	26														
BOISE CITY	35.8	71	17	11	8	818	0	.32	.16	14	KENTON	35.9	71	17	11	27	814	0	.11	.02	14														
BUFFALO	39.9	74	17	13	8	703	0	1.63	.83	20	SLAPOUT	39.0	76	17	15	8	728	0	1.67	1.04	20														
<b>PANHANDLE</b>																																			
ALVA	39.9	69	17	20	9	702	0	2.90	1.62	20	MAY RANCH	39.1	71	17	18	9	725	0	1.87	.96	20														
BLACKWELL	41.7	72	17	22	9	651	0	5.05	2.90	20	MEDFORD	41.1	71	17	23	9	670	0	2.45	1.70	20														
BRECKENRIDGE	41.2	70	17	22	9	667	0	3.74	2.20	20	NEWKIRK	40.9	72	17	19	11	673	0	4.63	2.64	20														
CHEROKEE	39.8	68	17	21	9	707	0	2.37	1.16	20	RED ROCK	42.5	73	17	20	11	630	0	4.67	2.89	20														
FAIRVIEW	40.6	67	17	20	9	682	0	3.35	1.89	20	SEILING	40.6	72	1	19	9	682	0	1.90	.84	20														
FREEDOM	40.4	72	17	19	8	690	0	2.20	1.23	20	WOODWARD	40.4	72	1	20	9	687	0	1.71	.87	20														
LAHOMA	40.7	69	17	22	9	681	0	3.39	1.93	20	<b>NORTH CENTRAL</b>																								
BIXBY	44.8	71	1	22	11	564	0	3.99	2.33	20	NOWATA	42.6	70	17	21	15	628	0	4.05	1.86	20														
BURBANK	41.0	72	17	18	11	673	0	4.68	2.87	20	PAWNEE	43.6	73	17	21	11	598	0	2.93	1.52	20														
CLAREMORE	44.9	74	1	22	11	563	0	3.66	2.04	20	PRYOR	44.5	72	1	23	11	573	0	3.00	1.53	20														
COPAN	41.3	71	17	23	15	662	0	4.68	3.03	20	SKIATOOK	44.0	71	17	24	11	589	0	4.43	2.40	20														
FORAKER	41.7	73	17	23	11	653	0	4.19	2.44	20	TULLAHASSEE	45.2	73	1	22	11	555	0	3.81	1.77	20														
JAY	43.9	71	1	20	11	591	0	4.37	2.39	20	VINITA	42.1	69	17	22	15	642	0	3.78	1.90	20														
MIAMI	42.7	69	17	24	15	625	0	3.74	1.79	20	WYNONA	43.5	73	17	21	11	602	0	4.54	2.58	20														
<b>NORTHEAST</b>																																			
BESSIE	42.9	75	1	24	11	617	0	4.01	2.59	20	PUTNAM	40.0	73	1	21	9	700	0	*****	*****	0														
BUTLER	42.0	75	1	20	9	643	0	3.11	1.99	20	RETROP	42.1	73	1	24	11	642	0	2.64	1.99	20														
CAMARGO	39.4	71	1	19	9	717	0	1.68	.85	20	WATONGA	40.9	71	1	24	8	676	0	3.54	2.39	20														
CHEYENNE	40.5	72	1	22	8	686	0	2.68	1.70	20	WEATHERFORD	40.7	72	1	23	8	681	0	3.46	2.18	20														
ERICK	41.0	73	1	22	15	671	0	2.85	1.97	20	<b>CENTRAL</b>																								
ACME	46.1	78	1	26	10	530	0	4.21	2.65	20	MINCO	43.9	77	1	24	11	589	0	4.07	2.46	20														
BOWLEGS	46.6	77	1	20	11	516	0	3.96	2.02	20	NINNEKAH	45.9	76	1	24	11	535	0	3.47	2.05	20														
BRISTOW	45.9	75	1	20	11	535	0	4.18	2.34	20	NORMAN	45.6	76	1	22	11	543	0	3.67	2.15	20														
CHANDLER	44.6	74	1	22	11	571	0	4.38	2.34	20	OILTON	44.7	75	1	19	11	569	0	3.89	2.23	20														
CHICKASHA	45.0	77	1	21	11	560	0	3.84	2.33	20	OKEMAH	46.4	77	1	22	11	519	0	5.41	2.94	20														
EL RENO	42.5	74	1	18	11	629	0	4.67	2.99	20	PERKINS	42.8	70	1	22	11	621	0	2.54	1.36	20														
GUTHRIE	44.4	73	1	23	8	575	0	3.95	2.18	20	SHAWNEE	45.7	76	1	25	11	539	0	4.50	2.17	20														
KINGFISHER	41.7	70	1	20	11	652	0	4.72	2.77	20	SPENCER	46.1	76	1	23	11	529	0	3.19	1.92	20														
MARENA	42.9	72	1	21	11	618	0	3.19	1.83	20	STILLWATER	42.2	71	1	18	11	639	0	3.49	2.15	20														
MARSHALL	41.5	70	1	20	11	657	0	4.92	3.46	20	WASHINGTON	45.7	77	1	24	11	539	0	3.50	1.78	20														
<b>EAST CENTRAL</b>																																			
CALVIN	46.9	78	1	22	11	507	0	5.76	2.74	20	SALLISAW	47.1	75	2	22	11	501	0	6.87	4.23	20														
COOKSON	46.1	75	1	19	11	529	0	5.76	3.03	20	STIGLER	47.0	74	1	23	11	504	0	5.50	2.90	20														
EUFALA	46.8	74	1	23	11	510	0	4.31	1.73	20	STUART	47.1	79	1	23	11	502	0	4.00	1.28	20														
HASKELL	45.5	74	1	22	11	545	0	3.80	1.79	20	TAHLEQUAH	45.9	78	1	18	11	533	0	4.49	2.59	20														
MCALESTER	46.4	79	1	22	11	519	0	5.45	1.88	20	WEBBERS FALLS	46.2	72	1	23	11	527	0	5.25	2.92	20														
OKMULGEE	44.8	74	1	20	11	564	0	4.67	2.28	20	WESTVILLE	45.3	76	1	22	11	552	0	5.67	3.64	20														
<b>SOUTHWEST</b>																																			
ALTUS	43.8	72	1	23	10	595	0	4.88	3.81	20	HOLLIS	43.1	74	1	23	11	614	0	3.85	2.80	20														
APACHE	44.7	76	1	25	11	568	0	2.38	1.35	20	MANGUM	42.3	75	1	22	11	635	0	5.42	3.94	20														
FORT COBB	44.4	75	1	24	11	577	0	3.35	2.59	20	MEDICINE PARK	45.9	74	1	27	8	536	0	3.58	2.26	20														
GRANDFIELD	45.3	72	1	25	11	553	0	3.48	2.07	20	TIPTON	45.1	72	1	25	5	557	0	3.06	2.02	20														
HINTON	41.7	74	1	24	11	651	0	2.71	1.70	20	WALTERS	46.0	71	1	26	11	531	0	3.55	1.94	20														
HOBART	42.3	75	1	22	11	634	0	4.24	2.47	20	<b>SOUTH CENTRAL</b>																								
ADA	46.2	75	1	22	11	527	0	5.28	2.01	20	LANE	47.6	75	1	24	11	489	0	5.83	1.73	20														
ARDMORE	48.3	78	1	26	11	468	0	5.46	1.67	19	MADILL	48.8	78	1	28	15	454	0	5.48	1.50	19														
BURNEYVILLE	46.8	79	1	25	11	510	0	6.62	2.86	19	PAULS VALLEY	47.6	78	1	25	11	488	0	5.41	2.63	20														
BYARS	45.9	77	1	25	11	536	0	4.93	1.98	20	RINGLING	47.0	75	1	27	15	504	0	5.51	2.45	20														
CENTRAHOMA	46.1	76	1	20	11	530	0	4.94	1.49	20	SULPHUR	46.4	77	1	24	15	521	0	4.61	1.41	20														
DURANT	48.4	78	1	27	11	464	0	6.12	1.83	19	TISHOMINGO	46.4	75	1	24	11	522	0	6.42	1.															




FEBRUARY 1997 AVERAGE MONTHLY TEMPERATURE  
(°F)




FEBRUARY 1997 DEPARTURE FROM NORMAL TEMPERATURE  
(°F)




FEBRUARY 1997 TOTAL PRECIPITATION  
(INCHES)




FEBRUARY 1997 DEPARTURE FROM NORMAL PRECIPITATION  
(INCHES)




FEBRUARY 1997 ACCUMULATED HEATING DEGREE DAYS  
(°F)




FEBRUARY 1997 DEPARTURE FROM NORMAL HEATING DEGREE DAYS  
(°F)



APRIL NORMAL DAILY MAXIMUM TEMPERATURE (°F)



APRIL NORMAL DAILY MINIMUM TEMPERATURE (°F)





**APRIL NORMAL MONTHLY PRECIPITATION (inches)**

**OUTLOOK FOR APRIL THROUGH JUNE 1997**  
BASED ON SEASONAL OUTLOOKS PROVIDED BY THE CLIMATE PREDICTION CENTER

**TEMPERATURE:** Above Normal Southwest  
Near Normal Elsewhere

**PRECIPITATION:** Near Normal Statewide



**April Wind Roses for Oklahoma City and Tulsa.** The frequency (percent) of winds from each direction is represented by length of its bar. The numbers at the ends of the bars indicate the average wind speed from that direction in miles per hour.

#### APRIL 1997 SUNRISE AND SUNSET


##### OKLAHOMA CITY

DATE	SUNRISE	SUNSET	DAYLIGHT
97 4 1	7:19AM	7:51PM CDT	12 hrs 32 mins
97 4 2	7:17AM	7:51PM CDT	12 hrs 34 mins
97 4 3	7:16AM	7:52PM CDT	12 hrs 36 mins
97 4 4	7:14AM	7:53PM CDT	12 hrs 39 mins
97 4 5	7:13AM	7:54PM CDT	12 hrs 41 mins
97 4 6	7:12AM	7:55PM CDT	12 hrs 43 mins
97 4 7	7:10AM	7:55PM CDT	12 hrs 45 mins
97 4 8	7: 9AM	7:56PM CDT	12 hrs 47 mins
97 4 9	7: 7AM	7:57PM CDT	12 hrs 50 mins
97 4 10	7: 6AM	7:58PM CDT	12 hrs 52 mins
97 4 11	7: 5AM	7:58PM CDT	12 hrs 54 mins
97 4 12	7: 3AM	7:59PM CDT	12 hrs 56 mins
97 4 13	7: 2AM	8: 0PM CDT	12 hrs 58 mins
97 4 14	7: 1AM	8: 1PM CDT	13 hrs 0 mins
97 4 15	6:59AM	8: 2PM CDT	13 hrs 2 mins
97 4 16	6:58AM	8: 2PM CDT	13 hrs 4 mins
97 4 17	6:57AM	8: 3PM CDT	13 hrs 7 mins
97 4 18	6:55AM	8: 4PM CDT	13 hrs 9 mins
97 4 19	6:54AM	8: 5PM CDT	13 hrs 11 mins
97 4 20	6:53AM	8: 6PM CDT	13 hrs 13 mins
97 4 21	6:52AM	8: 6PM CDT	13 hrs 15 mins
97 4 22	6:50AM	8: 7PM CDT	13 hrs 17 mins
97 4 23	6:49AM	8: 8PM CDT	13 hrs 19 mins
97 4 24	6:48AM	8: 9PM CDT	13 hrs 21 mins
97 4 25	6:47AM	8:10PM CDT	13 hrs 23 mins
97 4 26	6:46AM	8:10PM CDT	13 hrs 25 mins
97 4 27	6:45AM	8:11PM CDT	13 hrs 27 mins
97 4 28	6:44AM	8:12PM CDT	13 hrs 28 mins
97 4 29	6:42AM	8:13PM CDT	13 hrs 30 mins
97 4 30	6:41AM	8:14PM CDT	13 hrs 32 mins

##### TULSA

DATE	SUNRISE	SUNSET	DAYLIGHT
97 4 1	7:11AM	7:44PM CDT	12 hrs 33 mins
97 4 2	7:10AM	7:45PM CDT	12 hrs 35 mins
97 4 3	7: 8AM	7:46PM CDT	12 hrs 37 mins
97 4 4	7: 7AM	7:47PM CDT	12 hrs 40 mins
97 4 5	7: 6AM	7:47PM CDT	12 hrs 42 mins
97 4 6	7: 4AM	7:48PM CDT	12 hrs 44 mins
97 4 7	7: 3AM	7:49PM CDT	12 hrs 46 mins
97 4 8	7: 1AM	7:50PM CDT	12 hrs 49 mins
97 4 9	7: 0AM	7:51PM CDT	12 hrs 51 mins
97 4 10	6:59AM	7:52PM CDT	12 hrs 53 mins
97 4 11	6:57AM	7:52PM CDT	12 hrs 55 mins
97 4 12	6:56AM	7:53PM CDT	12 hrs 57 mins
97 4 13	6:54AM	7:54PM CDT	13 hrs 0 mins
97 4 14	6:53AM	7:55PM CDT	13 hrs 2 mins
97 4 15	6:52AM	7:56PM CDT	13 hrs 4 mins
97 4 16	6:50AM	7:57PM CDT	13 hrs 6 mins
97 4 17	6:49AM	7:57PM CDT	13 hrs 8 mins
97 4 18	6:48AM	7:58PM CDT	13 hrs 10 mins
97 4 19	6:46AM	7:59PM CDT	13 hrs 13 mins
97 4 20	6:45AM	8: 0PM CDT	13 hrs 15 mins
97 4 21	6:44AM	8: 1PM CDT	13 hrs 17 mins
97 4 22	6:43AM	8: 1PM CDT	13 hrs 19 mins
97 4 23	6:41AM	8: 2PM CDT	13 hrs 21 mins
97 4 24	6:40AM	8: 3PM CDT	13 hrs 23 mins
97 4 25	6:39AM	8: 4PM CDT	13 hrs 25 mins
97 4 26	6:38AM	8: 5PM CDT	13 hrs 27 mins
97 4 27	6:37AM	8: 6PM CDT	13 hrs 29 mins
97 4 28	6:35AM	8: 6PM CDT	13 hrs 31 mins
97 4 29	6:34AM	8: 7PM CDT	13 hrs 33 mins
97 4 30	6:33AM	8: 8PM CDT	13 hrs 35 mins

**-18-**  
**OKLAHOMA**



**CLIMATE DIVISIONS (CD)**

- 1 - Panhandle
- 2 - North Central
- 3 - Northeast
- 4 - West Central
- 5 - Central
- 6 - East Central
- 7 - Southwest
- 8 - South Central
- 9 - Southeast

**EXPLANATION OF TABLES**

Two kinds of tables appear in this summary. The first is a set of tables containing all reporting stations grouped by climate division. The figure above shows the locations of the climate divisions. Each table contains the following information for each station:

**Station Name:**

**Station Identification Number:** These are usually assigned by the National Climatic Data Center.

**Climate Division:** See the figure above.

**Number of Temperature Observations:** These are the actual number of temperature reports recorded at the station during the current month. Missing observations may result in artificially high or low mean monthly temperatures.

**Deviation from Normal:** The deviation of the observed mean monthly temperature from the monthly station normal. A positive value indicates the month was warmer than normal. A negative value indicates the month was cooler than normal. Normal monthly temperatures may be calculated by subtracting the deviation from the observed temperature.

**Maximum Daily Maximum:** The maximum daily maximum temperature observed during the current month and year and the day which it occurred.

**Minimum Daily Minimum:** The minimum daily minimum temperature observed during the current month and year and the day which it occurred.

**Heating Degree Days:** HDD are calculated each day of the month for which there is a temperature report and the average temperature for the day is less than 65 degrees. Daily values are summed to arrive at a monthly total. They are a qualitative measure of how much heat was required to maintain a comfortable indoor temperature. Missing observations may result in an artificially high or low value. For February 1984 HDD would be calculated as:

$$\sum_{i=1}^{29} 65 - ((TMAX_i + TMIN_i) / 2)$$

**Deviation from Normal Heating Degree Days:** A positive value indicates higher than normal heating requirements for the month as a whole. A negative value indicates lower than normal heating requirements for the month as a whole. Normal HDD may be calculated by subtracting the deviation from observed HDD.

**Cooling Degree Days:** CDD are calculated each day of the month for which there is a temperature report and the average temperature for the day exceeds 65 degrees. Daily values are summed to give a monthly total. They are a proxy measure of how much cooling was required to maintain a comfortable indoor temperature. Missing observations may result in an artificially high or low value. For June, CDD would be calculated as:

$$\sum_{i=1}^{30} ((TMAX_i + TMIN_i) / 2) - 65$$

Deviation from Normal Cooling Degree Days: A positive value indicates higher than normal cooling requirements for the month as a whole. A negative value indicates lower than normal cooling requirements for the month as a whole. Normal cooling degree days may be found by subtracting the deviation from the observed cooling degree days.

Total Precipitation: Often incorrectly referred to as mean precipitation, this value is the sum of all precipitation reported during the month at a station. If snow occurred, it is to be melted and its water equivalent recorded.

Number of Precipitation Observations: The number of days a rain or no-rain observation was reported. Missing observations frequently result in artificially low total precipitation values.

Deviation from Normal Precipitation: A positive value indicates more rain than normal was received. A negative value indicates less than was expected rainfall was received. Normal rainfall may be calculated by subtracting the deviation from monthly total.

Maximum 24-Hour Report and Day: The maximum amount of precipitation recorded during the station's 24-hour observation period for the current month and year and the day on which it was recorded.

The second set of tables contain similar information but are the average or extreme over all the stations reporting in each climate division.

**OKLAHOMA CITY CLIMATE CALENDAR**

**APRIL**

The data on this calendar are for Oklahoma City.  
 Normal values are calculated for the period  
 1961-1990. Extremes are found for the period  
 of record (1891 - present).

**-20-**

<b>Normal 1</b>	Actual	<b>Normal 2</b>	Actual	<b>Normal 3</b>	Actual	<b>Normal 4</b>	Actual	<b>Normal 5</b>	Actual	<b>Normal 6</b>	Actual	<b>Normal 7</b>	Actual
87.7 max		89.6 max		88.3 max		86.2 max		87.0 max		70.8 max		71.5 max	
44.3 min		45.5 min		43.3 min		42.8 min		44.8 min		46.4 min		44.8 min	
0.4 ppt		0.7 ppt		0.9 ppt		0.2 ppt		0.1 ppt		0.5 ppt		0.1 ppt	
10 hdd		8 hdd		9 hdd		11 hdd		11 hdd		9 hdd		7 hdd	
1 cdd		1 cdd		1 cdd		1 cdd		1 cdd		1 cdd		1 cdd	
<b>Highest Max</b>	92-1944	<b>Highest Max</b>	88-1918	<b>Highest Max</b>	88-1918	<b>Highest Max</b>	82-1953	<b>Highest Max</b>	82-1953	<b>Highest Max</b>	95-1963	<b>Highest Max</b>	94-1963
<b>Lowest Max</b>	45-1938	<b>Lowest Max</b>	43-1978	<b>Lowest Max</b>	43-1978	<b>Lowest Max</b>	39-1920	<b>Lowest Max</b>	41-1989	<b>Lowest Max</b>	58-1928	<b>Lowest Max</b>	58-1928
<b>Lowest Min</b>	28-1986	<b>Lowest Min</b>	20-1956	<b>Lowest Min</b>	22-1981	<b>Lowest Min</b>	28-1973	<b>Lowest Min</b>	26-1936	<b>Lowest Min</b>	27-1929	<b>Lowest Min</b>	27-1929
<b>Highest Min</b>	68-1946	<b>Highest Min</b>	67-1940	<b>Highest Min</b>	68-1934	<b>Highest Min</b>	65-1978	<b>Highest Min</b>	68-1967	<b>Highest Min</b>	68-1963	<b>Highest Min</b>	68-1963
<b>Greatest ppt</b>	287-1905	<b>Greatest ppt</b>	289-1922	<b>Greatest ppt</b>	287-1922	<b>Greatest ppt</b>	137-1919	<b>Greatest ppt</b>	206-1908	<b>Greatest ppt</b>	3,98-1963	<b>Greatest ppt</b>	1,24-1940
<b>Normal 8</b>	Actual	<b>Normal 9</b>	Actual	<b>Normal 10</b>	Actual	<b>Normal 11</b>	Actual	<b>Normal 12</b>	Actual	<b>Normal 13</b>	Actual	<b>Normal 14</b>	Actual
68.9 max		68.1 max		68.1 max		69.3 max		68.9 max		71.1 max		70.8 max	
47.3 min		46.0 min		45.8 min		45.7 min		45.1 min		46.2 min		46.4 min	
0.9 ppt		0.8 ppt		0.9 ppt		0.9 ppt		0.9 ppt		0.1 ppt		0.1 ppt	
8 hdd		9 hdd		7 hdd									
1 cdd		1 cdd		1 cdd		1 cdd		1 cdd		1 cdd		1 cdd	
<b>Highest Max</b>	88-1906	<b>Highest Max</b>	80-1930	<b>Highest Max</b>	91-1934	<b>Highest Max</b>	80-1972	<b>Highest Max</b>	100-1972	<b>Highest Max</b>	94-1972	<b>Highest Max</b>	98-1936
<b>Lowest Max</b>	36-1938	<b>Lowest Max</b>	44-1973	<b>Lowest Max</b>	45-1968	<b>Lowest Max</b>	47-1962	<b>Lowest Max</b>	38-1967	<b>Lowest Max</b>	45-1967	<b>Lowest Max</b>	46-1928
<b>Lowest Min</b>	28-1988	<b>Lowest Min</b>	25-1914	<b>Lowest Min</b>	28-1973	<b>Lowest Min</b>	23-1967	<b>Lowest Min</b>	20-1957	<b>Lowest Min</b>	27-1960	<b>Lowest Min</b>	27-1960
<b>Highest Min</b>	82-1984	<b>Highest Min</b>	68-1927	<b>Highest Min</b>	86-1965	<b>Highest Min</b>	86-1972	<b>Highest Min</b>	81-1971	<b>Highest Min</b>	88-1972	<b>Highest Min</b>	88-1972
<b>Greatest ppt</b>	2,98-1922	<b>Greatest ppt</b>	2,91-1944	<b>Greatest ppt</b>	1,40-1979	<b>Greatest ppt</b>	1,10-1974	<b>Greatest ppt</b>	3,11-1967	<b>Greatest ppt</b>	3,76-1910	<b>Greatest ppt</b>	1,27-1947
<b>Normal 15</b>	Actual	<b>Normal 16</b>	Actual	<b>Normal 17</b>	Actual	<b>Normal 18</b>	Actual	<b>Normal 19</b>	Actual	<b>Normal 20</b>	Actual	<b>Normal 21</b>	Actual
71.8 max		73.8 max		74.2 max		73.1 max		73.9 max		74.8 max		71.1 max	
47.9 min		49.4 min		51.2 min		51.9 min		51.7 min		51.9 min		48.7 min	
0.6 ppt		1.0 ppt		0.9 ppt		1.1 ppt		1.6 ppt		0.3 ppt		0.8 ppt	
6 hdd		5 hdd		4 hdd		5 hdd		5 hdd		4 hdd		2 hdd	
1 cdd		2 cdd		1 cdd									
<b>Highest Max</b>	80-1910	<b>Highest Max</b>	92-1940	<b>Highest Max</b>	90-1925	<b>Highest Max</b>	80-1925	<b>Highest Max</b>	94-1967	<b>Highest Max</b>	91-1961	<b>Highest Max</b>	90-1965
<b>Lowest Max</b>	81-1902	<b>Lowest Max</b>	48-1906	<b>Lowest Max</b>	47-1905	<b>Lowest Max</b>	47-1903	<b>Lowest Max</b>	45-1918	<b>Lowest Max</b>	45-1909	<b>Lowest Max</b>	45-1909
<b>Lowest Min</b>	80-1902	<b>Lowest Min</b>	51-1921	<b>Lowest Min</b>	51-1904	<b>Lowest Min</b>	50-1903	<b>Lowest Min</b>	50-1903	<b>Lowest Min</b>	51-1903	<b>Lowest Min</b>	51-1903
<b>Highest Min</b>	80-1902	<b>Highest Min</b>	67-1906	<b>Highest Min</b>	67-1903	<b>Highest Min</b>	68-1904	<b>Highest Min</b>	68-1904	<b>Highest Min</b>	68-1905	<b>Highest Min</b>	70-1901
<b>Greatest ppt</b>	1,57-1947	<b>Greatest ppt</b>	1,08-1970	<b>Greatest ppt</b>	1,40-1908	<b>Greatest ppt</b>	2,97-1942	<b>Greatest ppt</b>	2,82-1919	<b>Greatest ppt</b>	2,07-1937	<b>Greatest ppt</b>	1,39-1906
<b>Normal 22</b>	Actual	<b>Normal 23</b>	Actual	<b>Normal 24</b>	Actual	<b>Normal 25</b>	Actual	<b>Normal 26</b>	Actual	<b>Normal 27</b>	Actual	<b>Normal 28</b>	Actual
75.6 max		75.0 max		75.7 max		73.9 max		74.0 max		74.8 max		73.2 max	
52.8 min		52.9 min		51.9 min		52.6 min		52.9 min		51.3 min		52.4 min	
1.4 ppt		0.8 ppt		0.8 ppt		1.0 ppt		1.0 ppt		1.1 ppt		1.1 ppt	
4 hdd		4 hdd		4 hdd		4 hdd		4 hdd		4 hdd		4 hdd	
3 cdd		3 cdd		2 cdd		2 cdd		2 cdd		3 cdd		2 cdd	
<b>Highest Max</b>	98-1986	<b>Highest Max</b>	88-1980	<b>Highest Max</b>	88-1981	<b>Highest Max</b>	81-1929	<b>Highest Max</b>	92-1986	<b>Highest Max</b>	91-1989	<b>Highest Max</b>	91-1982
<b>Lowest Max</b>	45-1938	<b>Lowest Max</b>	62-1981	<b>Lowest Max</b>	82-1947	<b>Lowest Max</b>	81-1919	<b>Lowest Max</b>	60-1919	<b>Lowest Max</b>	57-1973	<b>Lowest Max</b>	56-1922
<b>Lowest Min</b>	34-1968	<b>Lowest Min</b>	33-1909	<b>Lowest Min</b>	35-1905	<b>Lowest Min</b>	35-1910	<b>Lowest Min</b>	35-1907	<b>Lowest Min</b>	35-1920	<b>Lowest Min</b>	37-1979
<b>Highest Min</b>	68-1981	<b>Highest Min</b>	68-1980	<b>Highest Min</b>	68-1983	<b>Highest Min</b>	68-1983	<b>Highest Min</b>	68-1983	<b>Highest Min</b>	68-1970	<b>Highest Min</b>	70-1970
<b>Greatest ppt</b>	1,90-1915	<b>Greatest ppt</b>	1,68-1945	<b>Greatest ppt</b>	1,57-1946	<b>Greatest ppt</b>	2,54-1915	<b>Greatest ppt</b>	1,50-1903	<b>Greatest ppt</b>	1,57-1907	<b>Greatest ppt</b>	1,97-1900
<b>Normal 29</b>	Actual	<b>Normal 30</b>	Actual										
78.9 max		74.2 max											
52.7 min		53.3 min											
2.2 ppt		1.9 ppt											
2 hdd		4 hdd											
2 cdd		2 cdd											
<b>Highest Max</b>	92-1986	<b>Highest Max</b>	93-1948										
<b>Lowest Max</b>	52-1908	<b>Lowest Max</b>	60-1907										
<b>Lowest Min</b>	34-1908	<b>Lowest Min</b>	32-1907										
<b>Highest Min</b>	68-1983	<b>Highest Min</b>	68-1986										
<b>Greatest ppt</b>	2,87-1974	<b>Greatest ppt</b>	2,15-1970										

**APRIL AVERAGES**

**TEMPERATURE** : **60.2°F**

**PRECIPITATION** : **2.79"**

**HEATING DEGREE DAYS** : **182**

**COOLING DEGREE DAYS** : **48**

TULSA CLIMATE CALENDAR

APRIL

The data on this calendar are for Tulsa. Normal values are calculated for the period 1948-1991. Temperature extremes are for the period 1905-1992; precipitation extremes are for the period 1948-1992.

-21-

Normal <b>1</b> Actual	Normal <b>2</b> Actual	Normal <b>3</b> Actual	Normal <b>4</b> Actual	Normal <b>5</b> Actual	Normal <b>6</b> Actual	Normal <b>7</b> Actual
Normal <b>8</b> Actual	Normal <b>9</b> Actual	Normal <b>10</b> Actual	Normal <b>11</b> Actual	Normal <b>12</b> Actual	Normal <b>13</b> Actual	Normal <b>14</b> Actual
Normal <b>15</b> Actual	Normal <b>16</b> Actual	Normal <b>17</b> Actual	Normal <b>18</b> Actual	Normal <b>19</b> Actual	Normal <b>20</b> Actual	Normal <b>21</b> Actual
Normal <b>22</b> Actual	Normal <b>23</b> Actual	Normal <b>24</b> Actual	Normal <b>25</b> Actual	Normal <b>26</b> Actual	Normal <b>27</b> Actual	Normal <b>28</b> Actual
Normal <b>29</b> Actual	Normal <b>30</b> Actual					
<b>TEMPERATURE</b>						
<b>PRECIPITATION</b>						
<b>HEATING DEGREE DAYS</b>	:	174				
<b>COOLING DEGREE DAYS</b>	:	56				
Normal <b>1</b> Max 58.0 45.0 .07 1 Cdd	Actual Max 69.0 48.0 .12 8 Cdd	Normal <b>2</b> Max 69.0 45.0 .19 8 Cdd	Normal <b>3</b> Max 67.0 44.0 .19 10 Cdd	Normal <b>4</b> Max 67.0 43.0 .08 11 Cdd	Normal <b>5</b> Max 67.0 43.0 .00 8 Cdd	Normal <b>6</b> Max 71.0 46.0 .05 7 Cdd
Normal <b>1</b> Min 46.0 39.0 .06 8 Cdd	Actual Min 69.0 45.0 .09 9 Cdd	Normal <b>2</b> Min 69.0 45.0 .15 8 Cdd	Normal <b>3</b> Min 67.0 44.0 .10 10 Cdd	Normal <b>4</b> Min 67.0 43.0 .10 11 Cdd	Normal <b>5</b> Min 67.0 43.0 .00 8 Cdd	Normal <b>6</b> Min 73.0 46.0 .05 7 Cdd
Highest Max 44-1982	Highest Max 88-1918	Highest Max 41-1949	Highest Max 88-1905	Highest Max 90-1943	Highest Max 87-1987	Highest Max 82-1980
Lowest Max 28-1972	Lowest Max 22-1988	Lowest Max 28-1976	Lowest Max 48-1983	Lowest Max 47-1988	Lowest Max 50-1982	Lowest Max 52-1983
Highest Min 88-1987	Highest Min 68-1979	Highest Min 68-1981	Highest Min 68-1985	Highest Min 68-1987	Highest Min 68-1987	Highest Min 78-1980
Greatest ppt 1,50-1988	Greatest ppt .85-1988	Greatest ppt 1,25-1978	Greatest ppt 1,25-1978	Greatest ppt 1,10-1984	Greatest ppt 1,42-1983	Greatest ppt 1,47-1976
Normal <b>8</b> Max 70.0 47.0 .06 8 Cdd	Actual Max 69.0 45.0 .09 9 Cdd	Normal <b>9</b> Max 69.0 45.0 .15 8 Cdd	Normal <b>10</b> Max 69.0 45.0 .15 7 Cdd	Normal <b>11</b> Max 70.0 48.0 .08 7 Cdd	Normal <b>12</b> Max 70.0 49.0 .15 8 Cdd	Normal <b>13</b> Max 69.0 47.0 .15 8 Cdd
Normal <b>8</b> Min 47.0 39.0 .06 8 Cdd	Actual Min 65.0 45.0 .09 9 Cdd	Normal <b>9</b> Min 65.0 45.0 .15 8 Cdd	Normal <b>10</b> Min 65.0 45.0 .15 7 Cdd	Normal <b>11</b> Min 70.0 48.0 .08 7 Cdd	Normal <b>12</b> Min 70.0 49.0 .15 8 Cdd	Normal <b>13</b> Min 69.0 47.0 .15 7 Cdd
Highest Max 88-1905	Highest Max 90-1930	Highest Max 49-1973	Highest Max 92-1927	Highest Max 102-1972	Highest Max 95-1985	Highest Max 84-1938
Lowest Max 47-1983	Lowest Max 28-1988	Lowest Min 24-1914	Lowest Max 47-1988	Lowest Max 36-1987	Lowest Max 45-1987	Lowest Max 54-1983
Lowest Min 83-1978	Lowest Min 64-1978	Lowest Min 65-1981	Lowest Min 68-1982	Lowest Min 68-1987	Lowest Min 68-1987	Lowest Min 91-1987
Highest Min .71-1981	Greatest ppt 1,25-1979	Greatest ppt 1,25-1978	Greatest ppt 1,10-1982	Greatest ppt 1,72-1987	Greatest ppt 1,53-1985	Greatest ppt 1,50-1986
Normal <b>15</b> Max 72.0 48.0 .11 6 Cdd	Actual Max 75.0 50.0 .08 5 Cdd	Normal <b>16</b> Max 74.0 52.0 .17 4 Cdd	Normal <b>17</b> Max 73.0 53.0 .23 5 Cdd	Normal <b>18</b> Max 74.0 53.0 .23 4 Cdd	Normal <b>19</b> Max 74.0 53.0 .24 4 Cdd	Normal <b>20</b> Max 74.0 53.0 .13 4 Cdd
Normal <b>15</b> Min 48.0 39.0 .06 6 Cdd	Actual Min 65.0 50.0 .08 5 Cdd	Normal <b>16</b> Min 65.0 52.0 .17 4 Cdd	Normal <b>17</b> Min 65.0 53.0 .23 5 Cdd	Normal <b>18</b> Min 74.0 53.0 .24 4 Cdd	Normal <b>19</b> Min 74.0 53.0 .13 4 Cdd	Normal <b>20</b> Min 76.0 53.0 .13 4 Cdd
Highest Max 88-1986	Highest Max 93-1982	Highest Max 93-1982	Highest Max 92-1987	Highest Max 94-1987	Highest Max 92-1983	Highest Max 84-1986
Lowest Max 63-1983	Lowest Max 65-1981	Lowest Max 67-1983	Lowest Max 68-1983	Lowest Max 65-1983	Lowest Max 64-1983	Lowest Max 50-1989
Lowest Min 87-1984	Lowest Min 72-1983	Lowest Min 71-1983	Lowest Min 70-1983	Lowest Min 70-1984	Lowest Min 71-1984	Lowest Min 68-1988
Highest Min 88-1982	Greatest ppt 1,48-1973	Greatest ppt 1,36-1988	Greatest ppt 1,25-1983	Greatest ppt 1,40-1970	Greatest ppt 1,25-1976	Greatest ppt 1,57-1986
Normal <b>22</b> Actual	Normal <b>23</b> Actual	Normal <b>24</b> Actual	Normal <b>25</b> Actual	Normal <b>26</b> Actual	Normal <b>27</b> Actual	Normal <b>28</b> Actual
Normal <b>29</b> Actual	Normal <b>30</b> Actual					
<b>APRIL AVERAGES</b>						
Normal <b>1</b> Temp 78.0 53.0 .16 3 Cdd	Actual Temp 78.0 54.0 .11 3 Cdd	Normal <b>2</b> Temp 78.0 53.0 .08 3 Cdd	Normal <b>3</b> Temp 75.0 54.0 .11 3 Cdd	Normal <b>4</b> Temp 75.0 54.0 .09 3 Cdd	Normal <b>5</b> Temp 78.0 54.0 .13 3 Cdd	Normal <b>6</b> Temp 74.0 53.0 .12 3 Cdd
Normal <b>1</b> Precip 54.0 39.0 .11 2 Cdd	Actual Precip 55.0 54.0 .33 3 Cdd	Normal <b>2</b> Precip 55.0 54.0 .08 3 Cdd	Normal <b>3</b> Precip 54.0 54.0 .09 3 Cdd	Normal <b>4</b> Precip 54.0 54.0 .09 3 Cdd	Normal <b>5</b> Precip 54.0 54.0 .09 3 Cdd	Normal <b>6</b> Precip 74.0 53.0 .12 3 Cdd
Highest Max 92-1987	Highest Max 91-1985	Highest Max 93-1988	Highest Max 91-1975	Highest Max 88-1988	Highest Max 91-1987	Highest Max 88-1980
Lowest Max 57-1971	Lowest Max 56-1980	Lowest Max 56-1980	Lowest Max 57-1987	Lowest Max 57-1987	Lowest Max 58-1982	Lowest Max 57-1982
Lowest Min 56-1981	Lowest Min 56-1981	Lowest Min 57-1989	Lowest Min 56-1989	Lowest Min 56-1989	Lowest Min 56-1980	Lowest Min 57-1988
Highest Min 85-1985	Greatest ppt 1,58-1985	Greatest ppt 3,82-1985	Greatest ppt 3,82-1985	Greatest ppt 3,82-1985	Greatest ppt 1,54-1986	Greatest ppt 1,46-1986
Normal <b>29</b> Temp 75.0 55.0 .11 3 Cdd	Actual Temp 75.0 55.0 .33 3 Cdd	Normal <b>30</b> Temp 75.0 55.0 .08 3 Cdd				
<b>TEMPERATURE</b>	:	61.0°F				
<b>PRECIPITATION</b>	:	3.63"n				
<b>HEATING DEGREE DAYS</b>	:	174				
<b>COOLING DEGREE DAYS</b>	:	56				